



GENERAL NOTES

Dimensions to be verified on site. This drawing should not be scaled. Any discrepancies should be referred to the Engineer prior to work being put in hand.

This drawing is the property of Waterman Burrow Crocker, and the drawing is issued on the condition that it is not copied, reproduced, retained or disclosed to any unauthorized person, either wholly or in part without the consent in writing of Waterman Burrow Crocker.
 Carrmore Boulevard
 Shirley
 Solihull B90 4QT
 Telephone: 0121 733 7799
 Facsimile: 0121 733 8620

Reproduced from the OS data with permission of
 HESD, Wolverhampton City Council No. 100019537.
 © 2004. Unauthorised reproduction infringes Crown
 Copyright and may lead to prosecution or civil
 proceedings.

- Symbol Key:**
- Cable Percussion
 - Rotary Core
 - Rotary Open Hole
 - Trial Pits
 - British Geological Society
 - Water Sample
 - Cable Percussive & Rotary Core
- Investigation Key:**
- BS-987 British Geological Survey
 - JPS-81 Johnson Poole & Bloomer 1981
 - JPS-86 Johnson Poole & Bloomer 1986
 - GIP-92 Ground Investigation & Piling 1992
 - GIP-95A Ground Investigation & Piling 1995A
 - GIP-95B Ground Investigation & Piling 1995B
 - GIP-97 Ground Investigation & Piling 1997
 - WA-97-99 Wardell Armstrong 1997
 - GIP-98 Ground Investigation & Piling 1998
 - GIP-2000 Ground Investigation & Piling 2000
 - F-2004 Forkers 2004
 - SM-2004 Soil Mechanics 2004
 - SM-2004/5 Soil Mechanics 2004/5

REV	DATE	AMENDMENTS DESCRIPTION	BY	CHK
12	12.07.05	PLOT BOUNDARIES & SECTION LINES C-C1 AND G-G1 ADDED	JW	
11	08.03.05	SURVEYED BOREHOLES ADDED, PREVIOUS BOREHOLES DELETED, MATERIAL COLOURS.	JW	

<p>HIGH RISK Workings incl. voids at shallow depth. Treatment required. High Grout takes expected.</p>	
<p>MODERATE RISK Some workings at depth. Treat sensitive structures. Rafts for non-sensitive.</p>	
<p>VERY LOW RISK No workings or only thin seams at shallow depth. Only treat very sensitive structures.</p>	

BILSTON URBAN VILLAGE

TITLE:-
POTENTIAL MINING SUBSIDENCE RISK (SHAFTS NOT SHOWN)

CLIENT:

Waterman Burrow Crocker
 In association with
Faulks Perry Culley & Rech

STRATFORD COURT CRANMORE BOULEVARD SHIRLEY SOLIHULL B90 4QT
 Telephone: 0121 733 7799 Fax: 0121 733 8620

Drawing Status: INFORMATION

Designed by: DB	Checked by: SFB	Sub Consultants:
Drawn by: JAG	Date: 18.11.04	
Scales: 1:2000	Computer File No: 2001-00-01.dwg	Revision:
Drawing No.:		